



Cathedral Stone® Products, Inc.

The leader in scientific masonry restoration

**WHEN SUBMITTING MASONRY SAMPLES FOR PAINT COLOR MATCH,
PLEASE PAY ATTENTION TO THE FOLLOWING:**

- 1. TAKE SAMPLE(S):** Select locations that represent typical color and texture.
Send one sample for each color needed.
Color: **SEND A CLEANED SAMPLE, IF BUILDING WILL BE CLEANED.
The lab will not clean any samples.**
Sample size: No smaller than 2" x 2" - larger if possible (**No Powder!**)
- 2. MARK SAMPLE(S):** **The surface to be matched must be clearly indicated.**
- 3. COMPLETE SAMPLE INFORMATION FORM:** Project Manager or Architect must complete the attached form and return it.
One form should be completed for each sample being sent. **We cannot begin to process your samples until we receive the form(s) and payment.**
- 4. SEND SAMPLE(S) AND FORM TO:** Cathedral Stone Products, Inc.
Attn: Color Lab
7266 Park Circle Drive
Hanover, MD 21076
Fax: (410) 782-9155

Allow 2 Weeks for Processing Color Samples

You Will Receive:

- One matching paint sample
- The paint sample should be mixed and applied on site (from the same location that sample was removed) as a color mock-up.
- Directions for mixing, application, and curing are included or can be found on www.cathedralstone.com.
(The site-applied sample should match our finished laboratory sample)



Cathedral Stone® Products, Inc.

The leader in scientific masonry restoration

COLOR SAMPLE INFORMATION: PAINT COLOR MATCH

Please complete this form (one for each different sample) and include it when you send us your sample. Our lab requires this information to formulate a custom Mineral Coating product. We cannot process your sample without it. **For all sample colors a lab fee will be required, and must be received before the color matching process will begin.** Thank you!

Bill to: _____

Ship To: _____

Phone: (_____) _____

FAX: (_____) _____

Contact: _____

Email: _____

If you would like to pay the lab fee by credit card, please complete the following:

Card Number: _____ Exp. Date: _____ ID Code: _____

Card Holder's Name: _____ Card Holder's Signature: _____

Building or Project Name: _____

Address: _____

Person in charge of color approval: _____

(Architect, Consultant, Owner?)

Company: _____

Address: _____

Phone: (_____) _____

Fax: (_____) _____

PREFERRED METHOD

Please answer the following questions when you are sending in a stone sample:

Surface to be matched? exposed fractured *(Please mark the sample on the side to be matched)*

Will the building be cleaned? yes no **Has the sample been cleaned?** yes no

Note: We do not clean samples, if the building has or will be cleaned, the sample to be matched must also be clean.

If sample of stone cannot be sent in:

Fan Deck Supplier: _____ Color Code: _____ Color Name: _____

(Benjamin Moore, Sherwin Williams, etc.)

(AF-566, 1044, 35452-BS-2, etc.)

(Coastal path, Elk horn, etc.)

For your sample, would you like:

MasonRE Paint (\$77 each – 12 oz) MasonRE Fixative (\$17 each - 12oz.) Terra Coat (\$17 each -12oz)

How much do you anticipate needing: _____ sq. ft. @ _____ depth (or # of pails: _____) When: _____

Submitted by: *(Signature)* _____